

学位受賞論文

高島芳治（2001）（腫瘍病理学）医学博士（乙）

Lack of effects of bisphenol A in maternal rats or treatment on response of their offspring to N-nitrosobis(2-hydroxypropyl)amine, J Toxicol Pathol. 2001 Jun 14(2);87-98.

村田奈保（2002）（腫瘍病理学）医学博士（甲）

N-nitrosobis(2-oxopropyl)amine によるハムスター膀胱癌発生に対するウシおよびサメ軟骨水抽出物の影響. 奈良医学雑誌 53:241-252, 2002

佐々木隆光（2004）（福岡大学医学部第1外科）

Protection of trocar sites from gallbladder cancer implantation by sodium hyaluronate carboxymethylcellulose-based bioresorbable membrane (Seprafilm) in a murine model. Surg Endosc 18(7):1156, 2004.

千原良友（2006）（泌尿器・男性機能制御医学／泌尿器科学）医学博士（乙）

Loss of blood group A antigen expression in bladder cancer caused by allelic loss and/or methylation of the ABO gene. Lab Invest: 1-13, 2005.

山本亜弥（2007）（分子腫瘍病理学）医学博士（甲）

Neurons and astrocytes exhibit lower activities of global genome nucleotide excision repair than do fibroblasts. DNA Repair 6(5):649-657, 2007.

笹平智則（2008）（分子腫瘍病理学）医学博士（乙）

(1) Sasahira T, Kirita T, Bhawal UK, Ikeda M, Nagasawa A, Yamamoto K, Kuniyasu H. The expression of receptor for advanced glycation end products is associated with angiogenesis in human oral squamous cell carcinoma. Virchows Arch. 2007 Mar;450(3):287-95.

(2) Sasahira T, Kirita T, Bhawal UK, Yamamoto K, Ohmori H, Fujii K, Kuniyasu H. Receptor for advanced glycation end products (RAGE) is important in the prediction of recurrence in human oral squamous cell carcinoma. Histopathology. 2007 Aug;51(2):166-72.

羅 奕（2012）（分子腫瘍病理学）医学博士（甲）

Luo Y, Ohmori H, Fujii K, Moriwaka Y, Sasahira T, Kurihara M, Tatsumoto N, Sasaki T, Yamashita Y, Kuniyasu H. HMGB1 attenuates anti-metastatic defence of the liver in colorectal cancer. *Eur J Cancer*. 2010 Mar;46(4):4791-4799.

下元貴澄 (2013) (分子腫瘍病理学) 医学博士 (乙)

Shimomoto T, Luo Y, Ohmori H, Chihara Y, Sasahira T, Fujii K, Kuniyasu H. Advanced glycation end products (AGE) induce the receptor for AGE in the colonic mucosa of azoxymethane-injected Fischer 344 rats fed with a high-linoleic acid and high-glucose diet. *J Gastroenterol* 47(10):1073-83, 2012.

栗原 都 (2013) (分子腫瘍病理学) 医学博士 (甲)

Kurihara M, Kirita T, Sasahira T, Ohmori H, Matsushima S, Yamamoto K, Bosserhoff AK, Kuniyasu H. Protumoral roles of melanoma inhibitory activity 2 in oral squamous cell carcinoma. *Br J Cancer* 108(7):1460-9, 2013.

青木久美子 (2014) (口腔・顎顔面外科学) 医学博士 (乙)

Aoki K, Obata K, Kurihara M, Kuniyasu H, Kirita T, Takaki M*. Clinically observed taste disorder-related peripheral mechanism in an anticancer drug, S-1 administered rats. *Int J Clin Oncol*, Jun 4. [Epub ahead of print].

川原 勲 (2014) (分子腫瘍病理学) 医学博士 (甲)

Kawahara I, Kuniyasu H, Matsuyoshi H, Goto K, Obata K, Misawa H, Fujii H, Takaki M. Comparison of effects of a selective 5-HT reuptake inhibitor versus a 5-HT₄ receptor agonist on in vivo neurogenesis at the rectal anastomosis in rats. *Am J Physiol Gastrointest Liver Physiol*. 2012;302(6):G588-97.

後藤 桂 (2015) (分子腫瘍病理学) 医学博士 (甲)

Goto K, Kawahara I, Luo Y, Obata K, Misawa H, Ishikawa T, Kuniyasu H, Nabekura J, Takaki M*. *In vivo* imaging of enteric neurogenesis in the deep tissue of mouse small intestine. *PLoS One* 8(1): e54814, 2013.

下村弘幸 (2015) (口腔・顎顔面外科学) 医学博士 (乙)

Shimomura H, Sasahira T, Yamanaka Y, Kurihara M, Imai Y, Tamaki S, Yamakawa N, Shirone N, Hasegawa M, Kuniyasu H, Kirita T

^{18}F -fluoro-2-deoxyglucose-positron emission tomography for the assessment of histopathological response after preoperative chemoradiotherapy in oral squamous cell carcinoma.

Int J Clin Oncol in press

田邊絵里子 (2015) (分子腫瘍病理学) 医学修士

田邊絵里子、北吉美沙穂、羅 奕、國安弘基

リノール酸の 5-fluorouracil 抗腫瘍効果に与える影響

2015 年奈良県立医科大学修士学位論文集

北吉美沙穂 (2015) (分子腫瘍病理学) 医学修士

北吉美沙穂、田邊絵里子、羅 奕、國安弘基

エライジン酸の 5-fluorouracil 抗腫瘍効果に与える影響

2015 年奈良県立医科大学修士学位論文集

桑田真臣 (2016) (分子腫瘍病理学) 医学博士

Kuwada M, Chihara Y, Luo Y, Li X, Nishiguchi Y, Fujiwara R, Sasaki T, Fujii K, Ohmori H, Fujimoto K, Kondoh M, Kuniyasu H.

Pro-chemotherapeutic effects of antibody against extracellular domain of claudin-4 in bladder cancer

Cancer Lett. 2015 Dec 1;369(1):212-21.

森 汐莉 (2017) (分子腫瘍病理学) 医学修士

Mori S, Kadochi Y, Luo Y, Fujiwara-Tani R, Nishiguchi Y, Kishi S, Fujii K, Ohmori H, Kuniyasu H*

Proton pump inhibitor induces-collagen expression in colonocytes is associated with collagenous colitis.

World J Gastroenterol 23(9):1586-1593, 2017.

門地優衣 (2017) (分子腫瘍病理学) 医学修士

Kadochi Y, Mori S, Fujiwara-Tani R, Luo Y, Nishiguchi Y, Kishi S, Fujii K, Ohmori H, Kuniyasu H*

Remodeling of energy metabolism by a ketone body and medium-chain fatty acid

suppressed proliferation of CT26 mouse colon cancer cells.

Oncol Lett 14(1): 673-680, 2017

森 拓也 (2017) (分子腫瘍病理学) 医学修士

森 拓也, 後藤 桂, 川原 勲, 谷 里奈, 國安弘基

マウス CT26 皮下腫瘍モデルを用いた糖負荷が腫瘍成長と骨格筋萎縮におよぼす影響の検討

平成 28 年度奈良県立医科大学修士学位論文集

中嶋千恵 (2018) (分子腫瘍病理学) 医学博士

Nakashima C, Yamamoto K, Fujiwara-Tani R, Luo Y, Matsushima S, Fujii K, Ohmori H, Sasahira T, Sasaki T, Kitadai Y, Kirita T, Kuniyasu H*.

Expression of cytosolic malic enzyme (ME1) is associated with disease progression in human oral squamous cell carcinoma.

Cancer Sci 109(6):2036-2045, 2018.

西口由希子 (2019) (分子腫瘍病理学) 医学博士

Nishiguchi Y, Fujiwara-Tani R, Sasaki T, Luo Y, Ohmori H, Kishi S, Mori S, Goto K, Yasui W, Sho M, Kuniyasu H

Targeting claudin-4 enhances CDDP-chemosensitivity of gastric cancer.

Oncotarget 10(22):2189-2202, 2019

宮川良博 (2019) (分子腫瘍病理学) 医学修士

Miyagawa Y, Mori T, Goto K, Fujiwara-Tani R, Kishi S, Sasaki T, Fujii K, Ohmori H, Kawahara I, Kuniyasu H*

Intake of medium-chain fatty acids induces oxidative stress and to atrophy the myocardium

Lipids in Health and Disease 17:258, 2018

森 拓也 (2020) (分子腫瘍病理学) 医学博士

Mori T, Ohmori H, Luo Y, Mori S, Miyagawa Y, Nukaga S, Goto K, Fujiwara-Tani R, Kishi S, Sasaki T, Fujii K, Kawahara I, Kuniyasu H.

Giving combined medium-chain fatty acids and glucose protects against cancer-associated skeletal muscle atrophy.

Cancer Sci. 2019 Oct;110(10):3391-3399.

額賀翔太 (2021 医学修士)

Nukaga S, Mori T, Miyagawa Y, Fujiwara-Tani R, Sasaki T, Fujii K, Mori S, Goto K, Kishi S, Nakashima C, Ohmori H, Kawahara I, Luo Y, Kuniyasu H.

Combined administration of lauric acid and glucose improved cancer-derived cardiac atrophy in a mouse cachexia model.

Cancer Sci. 2020 Dec;111(12):4605-4615.

谷里奈 (2022) 医学博士

Fujiwara-Tani R, Fujii K, Mori S, Kishi S, Sasaki T, Ohmori H, Nakashima C, Kawahara I, Nishiguchi Y, Mori T, Sho M, Kondoh M, Luo Y, Kuniyasu H.

Role of Clostridium perfringens Enterotoxin on YAP Activation in Colonic Sessile Serrated Adenoma/ Polyps with Dysplasia.

Int J Mol Sci. 2020 May 28;21(11):3840. doi: 10.3390/ijms21113840.

森汐莉 (2022) 医学博士

Mori S, Kishi S, Honoki K, Fujiwara-Tani R, Moriguchi T, Sasaki T, Fujii K, Tsukamoto S, Fujii H, Kido A, Tanaka Y, Luo Y, Kuniyasu H.

Anti-Stem Cell Property of Pterostilbene in Gastrointestinal Cancer Cells.

Int J Mol Sci. 2020 Dec 8;21(24):9347. doi: 10.3390/ijms21249347.

宮川良博 (2022) 医学博士

Miyagawa Y, Nukaga S, Mori T, Fujiwara-Tani R, Fujii K, Mori S, Goto K, Kishi S, Sasaki T, Nakashima C, Ohmori H, Kawahara I, Luo Y, Kuniyasu H.

Evaluation of cancer-derived myocardial impairments using a mouse model.

Oncotarget. 2020 Oct 13;11(41):3712-3722. doi: 10.18632/oncotarget.27759.

尾張拓也 (2022) 医学博士

Owari T, Miyake M, Nakai Y, Tanaka N, Itami Y, Hirao S, Momose H, Nakagawa Y, Iida K, Maesaka F, Shimizu T, Iemura Y, Matsumoto Y, Kuwada M, Otani T, Otsuka K, Okajima E, Hosokawa Y, Okamura R, Fujimoto K.

External validation of a genitourinary cancer-specific prognostic scoring system to predict survival for patients with bone metastasis (modified B-FOM scoring model): Comparison with other scoring models in terms of accuracy.

J Bone Oncol. 2020 Dec 13;26:100344. doi: 10.1016/j.jbo.2020.100344.

近藤裕美子 (2022) 医学博士

Kondo Y, Honoki K, Kishi S, Mori S, Fujiwara-Tani R, Tsukamoto S, Fujii H, Kuniyasu H, Tanaka Y.

Endosialin/CD248 may be a potential therapeutic target to prevent the invasion and metastasis in osteosarcoma.

Oncol Lett. 2022 Feb;23(2):42. doi: 10.3892/ol.2021.13160.

北條雄大 (2022) 兵庫医科大学・医学博士

Hojo Y, Kishi S, Mori S, Fujiwara-Tani R, Sasaki T, Fujii K, Nishiguchi Y, Nakashima C, Luo Y, Shinohara H, Kuniyasu H.

Sunitinib and Pterostilbene Combination Treatment Exerts Antitumor Effects in Gastric Cancer via Suppression of PDZD8.

Int J Mol Sci. 2022 Apr 4;23(7):4002. doi: 10.3390/ijms23074002.

岸真五 (2023) 医学博士

Kishi S, Fujiwara-Tani R, Honoki K, Sasaki R, Mori S, Ohmori H, Sasaki T, Miyagawa Y, Kawahara I, Kido A, Tanaka Y, Kuniyasu H.

Oxidized high mobility group B-1 enhances metastability of colorectal cancer via modification of mesenchymal stem/stromal cells.

Cancer Sci. 2022 Aug;113(8):2904-2915. doi: 10.1111/cas.15400.

高木忠隆 (2023) 医学博士

Takagi T, Fujiwara-Tani R, Mori S, Kishi S, Nishiguchi Y, Sasaki T, Ogata R, Ikemoto A, Sasaki R, Ohmori H, Luo Y, Bhawal UK, Sho M, Kuniyasu H.

Lauric Acid Overcomes Hypoxia-Induced Gemcitabine Chemoresistance in Pancreatic Ductal Adenocarcinoma.

Int J Mol Sci. 2023 Apr 19;24(8):7506. doi: 10.3390/ijms24087506.